

# **AGFA HEALTHCARE FHIR Conformance Statement**



## **Enterprise Imaging 8.4.x**

Document No. 001686 - Revision: 11

Livelihood NodeID: 83173717

**When printed, this is NOT a controlled copy**

## Document Information

---

<b>Service-related contact information worldwide</b>	All service-related contact information is available on this URL→	<a href="https://www.agfahealthcare.com/contact/">https://www.agfahealthcare.com/contact/</a>
------------------------------------------------------	-------------------------------------------------------------------	-----------------------------------------------------------------------------------------------

Issued by:  
AGFA HealthCare  
V&V Connectivity  
Septestraat 27  
B-2640 Mortsel  
Belgium

email : [connectivity@agfa.com](mailto:connectivity@agfa.com)

AGFA HealthCare shall not be liable for errors contained herein or for incidental or consequential damages in connection with the furnishing, performance or use of this publication. AGFA reserves the right to revise this publication and to make changes to its content at any time, without obligation to notify any person or entity of such revisions and changes. This publication may only be used in connection with the promotion, sales, installation and use of AGFA equipment by AGFA personnel.

**Copyright © 2025**  
**AGFA HealthCare**  
**All rights reserved**

## Table of Contents

---

1	Introduction .....	4
1.1	Revision Record .....	4
1.2	Purpose and Intended Audience of this Document .....	4
1.3	About FHIR .....	5
1.4	General Remarks.....	5
1.4.1	Integration and Validation Activities .....	5
1.4.2	Future Evolution .....	6
1.5	Acronyms and Abbreviations.....	6
1.6	Related Documents .....	6
2	Capability Statement .....	7
2.1	RESTful Interactions.....	7
2.2	Search Parameters & Operations per resource type .....	7
3	Profiles .....	9
4	Extensions.....	10
5	Code systems & Value sets .....	11

# 1 INTRODUCTION

## 1.1 Revision Record

FHIR Conformance Statement Template, Livelihood Node ID: 65788844		
Version	Date	Reason for Change
2	August 2018	Initial revision
3	February 2019	all corrections made in review cycle
4	February 2019	Chapter 2 changes

FHIR Conformance Statement Enterprise Imaging 8.4.x		
Version	Date	Reason for Change
1-4	March 2024	Initial Revision for EI 8.4.0.000
5	May 2024	Version for EI 8.4.1.000
6	October 2024	Version for EI 8.4.2.000
7	October 2024	Added EICompositeList and EIBroadcastMessage
8	January 2025	Version for EI 8.4.3.000. Updated AllergyIntolerance and Observation functions. Added Condition.
9	June 2025	Version for EI 8.4.3.200. Added Bundle.
10-11	October 2025	Version for EI 8.4.4. Added Appointment.

## 1.2 Purpose and Intended Audience of this Document

### **DISCLAIMER:**

This document is a Technology Preview of the FHIR capabilities of Enterprise Imaging 8.4.x. Some profiles, extensions or parameters may be deprecated without notice in future versions of Enterprise Imaging. Therefore, AGFA HealthCare shall not be liable for loss of functionalities with non AGFA products which implemented a FHIR interface with EI 8.4.x, in case Enterprise Imaging is upgraded.

This document is a FHIR Conformance Statement for the FHIR Services of Enterprise Imaging 8.4.x.

The user of this document is involved with system integration and/or software design. We assume that the reader is familiar with the terminology and concepts that are used in FHIR standard and the IHE Technical Framework.

Readers not familiar with FHIR terminology should first read the appropriate parts of the FHIR standard itself, prior to reading this conformance statement.

Although the use of this conformance statement in conjunction with the FHIR standard is intended to facilitate communication with Enterprise Imaging 8.4.x, it is not sufficient to guarantee, by itself, the inter-operation of the connection between Enterprise Imaging 8.4.x and the 3rd party FHIR-based system.

The integration of any device into a system of interconnected devices goes beyond the scope of the FHIR standard and this conformance statement when *interoperability* is desired. The responsibility for analyzing the applications requirements and developing a solution that integrates the AGFA equipment with other vendors' systems is the user's responsibility and should not be underestimated.

## 1.3 About FHIR

Fast Healthcare Interoperability Resources (FHIR, pronounced "Fire") defines a set of "Resources" that represent granular clinical concepts. The resources can be managed in isolation, or aggregated into complex documents. This flexibility offers coherent solutions for a range of interoperability problems. The simple direct definitions of the resources are based on thorough requirements gathering, formal analysis and extensive cross-mapping to other relevant standards.

Each resource carries a master id. The id is never changed or reused, and it identifies the resource permanently. Resources may refer to other resources by id knowing that this is stable reference. Each resource has a URL which is derived from the id, the type, and the local base URL. Given one resource address, the address of any other resource can be automatically determined.

Resources contain references to other resources. While each resource can be read and/or changed without explicit reference to these other resources, the presence of these references influences the behaviour of the system: implementations are required to maintain system and data integrity at all times.

Each resource supports the same list of transactions - read, update, delete, etc. One particularly important transaction supported by every resource type is the provision of a conformance statement which specifies what parts of the defined content model are supported by the system, and what other transactions or interactions are supported. If any of the other interactions are supported, the conformance interaction must be supported. (i.e. if the conformance interaction returns an error, no operations are supported).

The exchange specifications are simple and straight forward and based around direct description of the XML representation of the resource. Each resource is described separately, though there are some common patterns used across all the resources (called "data types"). In addition to the simple XML definitions, a schema and UML class diagram are available for each resource. The UML class diagram represents the same logical model as the XML format (though because of UML issues, implementors should not expect the UML model to lead to interoperable implementations).

Further, each xml element (or matching UML class, attribute and composition association) is associated with a reference into a single integrated ontology that serves as a data dictionary. As well as more precisely defining the element, the data dictionary specifies the mappings from the element into other standards.

Technically, FHIR is designed for the web; the resources are based on simple XML or JSON structures, with an http-based RESTful protocol where each resource has predictable URL. Where possible, open internet standards are used for data representation.

## 1.4 General Remarks

### 1.4.1 Integration and Validation Activities

The integration of any device into a system of interconnected devices goes beyond the scope of the FHIR standard and this conformance statement when interoperability is desired. The responsibility for analyzing the applications requirements and developing a solution that integrates the AGFA equipment with other vendors' systems is the user's responsibility and should not be underestimated.

In some circumstances it might be necessary to perform a validation to make sure that functional interoperability between the AGFA equipment and non-AGFA devices works as expected. The user should ensure that any non-AGFA provider accepts responsibility for any validation required for their connection with the AGFA equipment.

To help this integration validation we provide a **FHIR Implementation Guide** in a zip file "[001687 Enterprise Imaging 8.4.x FHIR Implementation Guide](#)" available on <https://www.agfahealthcare.com/fhir-conformance-statement/>.

## 1.4.2 Future Evolution

As the FHIR standard evolves to meet the user's growing requirements and to incorporate new features and technologies, AGFA HealthCare will follow the evolution of the standard. This evolution of the standard may require changes to devices that have implemented FHIR. The user should ensure that any non-AGFA provider, who connects with AGFA devices, also plans for future evolution of the FHIR standard. A refusal to do so may result in the loss of functionality and/or connectivity between the different products.

## 1.5 Acronyms and Abbreviations

Definitions, terms and abbreviations used in this document, many of which are defined within the FHIR standard. Abbreviations and terms are as follows:

FHIR	Fast Healthcare Interoperability Resources
HL7	Health Level 7
IHE	Integrating the Healthcare Enterprise
RESTful	Representational State Transfer ( <b>REST</b> )
UML	Unified Modeling Language
URI	Uniform Resource Identifier
URL	Uniform Resource Locator
XML	Extensible Markup Language

## 1.6 Related Documents

- HL7 FHIR Standard current version - see [www.hl7.org/fhir](http://www.hl7.org/fhir)
- [IHE Radiology Technical Framework](#)
- [IHE IT Infrastructure Technical Framework](#)

## 2 CAPABILITY STATEMENT

### 2.1 RESTful Interactions

Resource Type	Profile	Enterprise Imaging Profile	Read	Search	Update	Patch	Create	Delete
AllergyIntolerance	<a href="#">AllergyIntolerance</a>	EIPatientAllergy	√		√		√	√
Appointment	<a href="#">Appointment</a>	EIConferenceSession	√					
Binary	<a href="#">Binary</a>	EIReportSoundFile, EIReportBlob, EIBlob	√		√			
Bundle	<a href="#">Bundle</a>	EIBundle						
CodeSystem	<a href="#">CodeSystem</a>		√	√				
Communication	<a href="#">Communication</a>	EIBroadcastMessage	√		√		√	√
Condition	<a href="#">Condition</a>	EIPatientSafetyHazard	√		√		√	√
DiagnosticReport	<a href="#">DiagnosticReport</a>	EIReportResultAsDiagnosticReport	√					
DocumentReference	<a href="#">DocumentReference</a>	EIAttachment, EIMultiMediaReference	√	√	√		√	√
Encounter	<a href="#">Encounter</a>	EITransfer, EIPatientAdmission	√					
ImagingStudy	<a href="#">ImagingStudy</a>	EIStudy	√					
List	<a href="#">List</a>	EIActivitiesOverview, EICompositeList, EIFolder, EIQueryList	√	√	√		√	√
Location	<a href="#">Location</a>	EIRoom	√					
Observation	<a href="#">Observation</a>	EIPatientPregnancy, EIReportSection, EIReportMeasurements, EIStructuredReport, EIReportResultAsObservation	√		√	√ <sup>1</sup>	√	
OperationDefinition	<a href="#">OperationDefinition</a>		√					
Organization	<a href="#">Organization</a>	EIAssignmentGroup, EIDepartment, EIFacility	√					
Patient	<a href="#">Patient</a>	EIPatient	√	√				
Practitioner	<a href="#">Practitioner</a>	EIProfessional	√	√				
Procedure	<a href="#">Procedure</a>	EIRequestedProcedureAsProcedure, EIPerformedProcedureStep	√	√				
ServiceRequest	<a href="#">ServiceRequest</a>	EIRequestedProcedureAsServiceRequest, EIScheduledProcedureStep, EIServiceRequest	√	√				
StructureDefinition	<a href="#">StructureDefinition</a>		√	√				
Subscription	<a href="#">Subscription</a>	EISubscription	√		√		√	√
Task	<a href="#">Task</a>	EITaskInstance	√	√				
ValueSet	<a href="#">ValueSet</a>		√	√				

### 2.2 Search Parameters & Operations per resource type

This is documented in the **FHIR Implementation Guide: 001687 Enterprise Imaging 8.4.x FHIR Implementation Guide** available on <https://www.agfahealthcare.com/fhir-conformance-statement/>.

<sup>1</sup> Only for the EIReportSection Profile



## 3 PROFILES

This is documented in the **FHIR Implementation Guide: [001687 Enterprise Imaging 8.4.x FHIR Implementation Guide](#)** available on <https://www.agfahealthcare.com/fhir-conformance-statement/>

## 4 EXTENSIONS

This is documented in the **FHIR Implementation Guide: [001687 Enterprise Imaging 8.4.x FHIR Implementation Guide](#)** available on <https://www.agfahealthcare.com/fhir-conformance-statement/>

## 5 CODE SYSTEMS & VALUE SETS

This is documented in the **FHIR Implementation Guide**: [001687 Enterprise Imaging 8.4.x FHIR Implementation Guide](#) available on <https://www.agfahealthcare.com/fhir-conformance-statement/>