


# **Azura TE**

Best-in-class direct-on-press chemistry-free thermal plate for sheet-fed commercial applications. Environmentally friendly operations, quality and ease-of-use all in one.

Based on Agfa Graphics' proven and reliable ThermoFuseTM technology, Azura TE takes printing plate developments yet one step further with imaging off-press, and cleaning on-press. If you are looking for a way to dramatically reduce time to press, are concerned for the environment and want to deliver consistent results, then this best-in-class direct-on-press plate is the right solution for you. All you need to do is image, mount and print.



# **Azura TE**



## Six features that make Azura TE a great choice

- 1. Environmentally-friendly operations... at the lowest cost
  Azura TE plates break all ecology and cost records. As the printing plates
  are cleaned out on-press, the system requires no processor, no chemistry
  and no water, resulting in lower energy consumption, as well as a lack
  of waste and time- and cost-consuming maintenance. This means
  environmentally-friendly operations as well as cost reductions.
- **2. Outstanding image contrast on plate for easy visual inspection** After exposing, the plates show an outstanding image contrast thanks to Agfa Graphics' patented Thermochromic dye technology. This means that the operator can see right away what is on the plate, making it easy to perform a quick quality check or even measure the tone scale with whatever plate reader or densitometer available. Like that, also the risk that plates are mounted in the wrong order on the press is non-existent.

#### 3. Excellent daylight handling

Azura TE's excellent daylight stability allows for standard operating procedures, to fit into any prepress environment. This makes it extremely convenient to work with Azura TE.





Azura TE has an outstanding image contrast



Azura TE has a fast ink acceptance



Azura TE is extremely fast up to printing speed

#### 4. Crisp image quality

Azura TE plates deliver prints with a very crisp image quality. The plates show excellent lithographic behavior, which in turn also enhances print quality. Images and texts are sharp, both serif positive and negative. Shadows are open and there is little dot gain, resulting in text and line work having full play. Under similar conditions, the print quality of Azura TE outperforms that of all other direct-on-press products in the market today.

#### 5. Fast make-ready

Characteristics such as fast ink acceptance and clean-up will enable you to be printing really quickly. With a plate sensitivity of 160 mJ/cm<sup>2</sup> a maximum plate throughput can be achieved on most commercial CtP platesetters. In combination with Agfa Graphics' Avalon N8-80XT, a plate throughput of more than 50 B1 plates per hour is achieved.

#### 6. Mainstream print production


Azura TE plates are compatible with most sheet-fed presses. They are suitable for commercial print, quick printing and book printing with run lengths up to 75.000 copies in standard sheet fed.





# Benefitting the environment as well as your profits

With Azura TE, there is no need for a processor or clean-out unit, and thus also no need for chemistry, gum or water. That also means no waste, and no maintenance. From the platesetter, the printing plates go directly onto the printing cylinder, where sellable prints are obtained after a few sheets only. The CtP device can even be installed in an office environment.









# Simplicity is key

#### Proven ThermoFuseTM technology

Since its launch in 2004, Agfa Graphics' ThermoFuseTM technology has proved itself as the leading technology in sustainable platemaking. Azura TE is based on the same ThermoFuseTM technology as its predecessors, working with a single-layer water-based coating, containing ink-accepting latex pearls, small enough to deliver razor-sharp highlight reproduction.

## Working principle

Upon laser exposure, the coating absorbs energy from the 830nm imaging head. The latex pearls fuse to form the hydrophobic image part. They bond strongly to the grained and anodized aluminum base. What were once individual particles now becomes a solid ink-accepting image. Thanks to the thermally switchable infrared dye used in the Azura TE coating, an excellent image contrast is achieved during imaging.

The Azura TE coating is optimized for direct-on-press capability, so that after imaging, the plates can be directly mounted on press.

As part of the press start-up sequence, the non-imaged areas are washed away by the action of ink and fount solution on the press to be carried away with the first few sheets through the press. Sellable prints are obtained after only a few copies.



| PLATE SPECIFICATIONS       |   |
|----------------------------|---|
| Technology                 | ThermoFuseTM negative-working   |
| Substrate                  | High-quality grained and anodized aluminum  |
| Spectral sensitivity       | 830nm thermal   |
| Plate sizes                | Available in 2-up, 4-up and 8-up  |
| Plate sensitivity          | 160 mJ/cm <sup>2</sup> - 175mJ/cm <sup>2</sup>  |
| Platesetter compatibility  | Compatible with 830nm external drum platesetters  |
| Resolution AM/XM           | Up to 1-99% at 240 lpi Sublima  |
| FM capability              | 20 μm   |
| Daylight resistance        | Up to 24 hours in full daylight   |
| Image contrast             | Excellent. The plates can be measured with all available densitometers and plate readers.         |
| Application                | Commercial sheet-fed and short run web-fed  |
| Runlength                  | Up to 75.000 copies   |
| Runlength UV               | Up to 8.000 copies  |
| Post-baking                | Not possible  |
| Gauges                     | 0.15 - 0.20 - 0.24 - 0.30 mm  |
| Shelf life                 | 18 months   |
| OPTIMIZED AGFA PRESSROOM C | HEMICALS  |
| Manual Clean-out           | Azura TE Clean-out Gum  |
| Plate cleaner              | Antura CtP plate cleaner  |
| Heavy duty plate cleaner   | Fortakleen 100  |
| Deletion pen               | KP010 - KP011 - KP012   |
| Washout gum                | Antura Cleangum   |
| Desensitizer               | PlateEtch Plus  |
| Scratch remover            | Reviva plate  |
| Fountain solution          | Azura TE is compatible with all Agfa Graphics conventional sheet-fed fountain solutions           |
| Roller and blanket wash    | Azura TE is compatible with all Agfa Graphics conventional sheet-fed roller and blanket washes    |
| Storage gum                | RC795 for short-term plate storage after printing RC73 for long-term plate storage after printing |
|                            |   |

Not all plates are available in every region. Contact your local Agfa representative for more information.



#### ECO<sup>3</sup>

Agfa Graphics is committed to sustainable innovation that focuses on ecology, economy, and extra convenience—or ECO<sup>3</sup>. We aim at developing cleaner and cost-effective solutions that are easier to operate and maintain, both for chemistry-free and for conventional plate systems.